

1695

MACK TRUCKS, INC
7000 ALBURTIS RD
MACUNGIE, PA 18062

PAGE 1

DEALER...: A406

VEHICLE I.D. NBR: 1M2AX32C5GM011034

GVWR: 60320

DEALER

INVOICE NUMBER...: 0601877

ORDER NO: 097403

INVOICE DATE....: 01/19/2016

CUSTOMER:

SOLD TO.: BANGOR TRUCK & TRAILER SALES INC
2245 ODLIN RD
HERMON ME 44017-237

GARDNER CONSTRUCTION

HERMON ME

04401

DISPATCH DATE...: 01/19/2016

OPERATING CO....: NORTHEAST

POSTMARK DATE...: 08/17/2015

MAJOR COMPONENT	DESCRIPTION
MODEL:	2016 GU433 CHASSIS OPTIONS
ENGINE:	ISL-D 345 / 8.9L, CUMMINS 345HP (2100 GOVERNED RPM) US'14, SERIAL NUMBER: ISL-D 345 73872339
TRANSMISSION:	3000 RDS 6-SP ALLISON GEN5 W/PROGNOSTICS, WITH PTO PRO
FRONT AXLE:	FXL14.6 14600 LB-MACK 6600 KG (N/A WITH LIFT AXLES)
REAR AXLE:	D46-170H 46000 LB EATON 20900 KG
SUSPENSION:	14,600 LB TAPERLEAF 6600KG
FET GVWR:	

Date Printed: 1/27/2016

MACK TRUCKS, INC

PAGE 2

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
ORDER/CUSTOMER/VEHICLE INFO		
PC1-0028	Product Class 28	0
PT1-0007	CML 64R GU7/GU8	0
PB1-016B	2008-10-07	0
002-1372	GU433 R MACKTRAQ 2016B	170,886
505-0011	ALL 50 STATES	0
CIR-0002	IDLE EMISSION CERTIFICATION, CARB 08 (WITH DECAL)	0
APP-0001	CLASS A HIGHWAY	0
005-1790	DUMP On Hwy	0
GCW-0080	MAXIMUM 80,000 LBS. (36 TONNES) GCW RATING	0
M44-0010	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE	0
FIL-0003	STOCK ORDER	0
US0-0010	"MBOC"BACK OFFICE PROCESS (PROBUILDER)	0
BVS/FRT AXLE/SALES PACKAGES		
PK4-002A	MHD STD.2A; EMISSIONS- CUMMINS DPF/SCR RH, RH BAT BOX, STD A	STD
PK5-0000	W/O TRUCK CONFIG PACKAGE	STD
A19-2016	2016 MODEL YEAR	0
DLW-0002	STANDARD OR EXTENDED DELIVERY	0
026-0076	2016-Q1 MACK DEALER INVENTORY MANAGEMENT PROGRAM - US	0
012-0000	NO SALES PROGRAM AVAILABLE	0
ENGINE/TRANSMISSION/CLUTCH		
100-3220	ISL-D 345 / 8.9L, CUMMINS 345HP (2100 GOVERNED RPM) US'14, (STD
PKE-0000	WITHOUT PACKAGE	STD
136-4511	3000 RDS 6-SP ALLISON GEN5 W/PROGNOSTICS, WITH PTO PROV	0
133-0000	W/O CLUTCH	STD
EXHAUST/EMISSIONS		
010-0002	SINGLE- HEAT SHIELD(S) & STACK	125
B60-0008	FURNISH BF STAINLESS STEEL HEAT SHIELD FOR FRAME MTD DPF (C	328
ORDER/CUSTOMER/VEHICLE INFO		
M64-0000	WITHOUT AIR SUSPENSION DUMP WARNING	0
316-5106	3-12V MACK M/F 31 1000 CCA THREADED STUD TYPE	165
508-1005	NARROW RADIATOR WITH LENGTH 3 (80 DM2), 41 DEG C ATB, COOLIN	258
110-3000	JACOBS C BRAKE, 2 POSITION	466
129-0011	120V 1000 WATT ENGINE BLOCK HEATER	125
118-0029	KYSOR FAN, "ON-OFF"	0

Date Printed: 1/27/2016

MACK TRUCKS, INC

PAGE 3

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
TRANSMISSION EQUIPMENT		
463-0000	W/O CLUTCH ACTUATION SYSTEM	333-
SL4-0008	ALLISON SYNTHETIC FLUID [*] (TRANSYND) IN ALLISON TRANS.	714
779-223F	ALLISON VOC PKG# 223 RDS ON-OFF HIGHWAY (2ND REVERSE CAPABLE	0
195-2201	DANA-SPICER SPL170XL EXTENDED LUBE SERIES	181
204-2201	DANA-SPICER SPL170XL EXTENDED LUBE SERIES	390
CAB (A THRU G)		
394-0002	DASH CONTROL & PWR SUPPLY FOR LOCAL INSTALATION OF AUXILIARY	35
997-0001	CUSTOMER GUARANTEED WEIGHT, MUST BE CERTIFIED WEIGHT	0
164-0001	FURN (2) EXTRA DASH MTD ROCKER SW FOR HOOK-UP OF LOCAL INSTA	30
786-0105	5LB (ABC RATED) MOUNTED BETWEEN LH SEAT BASE & DOOR; VALVE A	104
400-0020	BLACK FINISH BARS W/ PLATINUM (NICKEL BRUSHED) SURROUND RADI	290
CAB (H THRU R)		
154-0002	MACK-2-RECT ALUM SINGLE TRUMPET, W/ SHIELDS, ROOF MOUNTED	44
312-0002	CHROME BULLET TYPE (SET OF 5)	90
C01-0000	W/O UPPER STORAGE OPTION	0
004-1103	PUREBRED SLATE GRAY	STD
152-2102	BULLDOG-HEATED BR FIN	210
153-9008	FURNISH 8" HEATED CONVEX BRIGHT FINISH MIRROR LH & RH	64
174-6101	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOOT	364
203-0009	MIRROR MOUNTED ANTENNA FOR CB-RADIO, LEFT, AERIAL	73
784-0002	W/O SLPR.BOX;FURN.KIT#JKC-10050R EQ.;PARALLEL TO INSIDE SURF	43
CAB (S THRU Z)		
157-0001	PAINTED	278
354-0002	BOTH SIDES	0
146-0008	POWER W/DOOR LOCK (LH&RH)-ELEC	624
196-2329	AIR-NATIONAL 2000HIGHBACK; SINGLE CHAMBER AIR LUMBER;	199
197-1107	FIXED-MACK (MID-BACK)	100
485-0000	ALL VINYL, CAB INTERIOR DEPENDANT COLOR, DRIVER & RIDER SEAT	0
592-0002	LAP & SHOULDER (BOTH SEATS) (NOT AVAILABLE WITH EXTENDED RID	59
MAJOR COMPONENTS		
016-0000	Day Cab (No Sleeper)	0
FRAME EQUIPMENT/FUEL TANKS		
279-4302	EXTENDED-SWEPT BACK-STEEL BRIGHT FINISH	496
288-A088	88 GAL ALUM, (333 LITERS) SLEEVED, D-SHAPE, 22"DIA	574

Date Printed: 1/27/2016

MACK TRUCKS, INC

PAGE 4

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
	FRAME EQUIPMENT/FUEL TANKS	
223-0002	STD FINISH STEPS & B.F. STRAPS	61
	FRONT AXLE EQUIPMENT/TIRES	
240-1507	FXL14.6 14600 LB-MACK 6600 KG (N/A WITH LIFT AXLES)	1,483
900-1303	BRIDGESTONE - 11R24.5 16 H R250ED (ALL POSITION)	137-
531-3784	24.5 X 8.25 ALUM DISC LVL ONE 10-HP; 11.25" BC, 5.06" INSET, "S	100
244-1002	14,600 LB TAPERLEAF 6600KG	STD
376-0001	POLISHED ALUMINUM DISC (OR:RD6#99-06-28)	93
241-1108	MERITOR "S" CAM 16.5" X 5" Q PLUS BRAKES	202
245-2215	HD94 SHEP-PWR (INTEGRAL)	132
637-0001	FURNISH DUST SHIELDS	34
	REAR AXLE EQUIP/TIRES/RATIO	
901-1336	11R24.5 G BRIDGESTONE M770 (DRIVE ONLY)	1,096
268-3043	D46-170H 46000 LB EATON 20900 KG	0
186-2420	HMX 460 HENDRICKSON	8,840
262-0002	PREMIUM HUB OIL SEAL, DRIVE	0
257-0557	5.57	0
346-3782	24.5 X 8.25 ALUM DISC LVL ONE 10-HOLE HUB PILOT; 11.25" BC, 6.	170
235-0007	PROVIDE POLISHED FINISH ON OUTBOARD OF DUAL WHEELS-CONCAVE S	254
253-1104	MERITOR-CAM 16.5X7 Q PLUS	222
638-0001	FURNISH DUST SHIELDS	64
323-0000	W/O AIR SUSP HEIGHT CONTROL	0
SL3-0002	75W-90 SYNTHETIC LUBRICANT	212
254-0401	DRVR CONT INTR WHEEL DIFF LOCK ALL RR AXLES; MANUAL AIR VALV FRAME/WHEELBASE/PLATFORM	1,861
271-0197	197"	0
272-0171	171"	122-
274-1028	STEEL - 300MM X 90MM X 11.1MM -- (11.81" X 3.54" X 0.437") AIR/BRAKE	1,126
302-0002	TWO VALVE SYSTEM ELECTRICAL	80
B83-0026	BODY LINK3 W/O CAB PASS THRU	0
317-0003	ECCO BACK-UP ALARM 575 CONSTANT SOUND LEVEL	143
M15-0002	CHASSIS & POWER HARNESS WITH HEAVY DUTY CASING	295

MACK TRUCKS, INC

PAGE 5

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
	COMMUNICATIONS SYSTEMS	
D0E-0000	DISABLE	0
	VEHICLE ELECTRONICS	
M39-0003	GRADES <9% DURING >98% OF DRIVING DIST. MAX GRADE 20%	0
M40-0001	AMB TEMP HOT, UP TO +40C, WARMER ALLOWED 25 H/YEAR	0
AE7-0000	WITHOUT PTO1 HOLD	0
AF1-0000	WITHOUT PTO1 ACCEL BUMP-UP	0
AF3-0000	WITHOUT PTO1 DECEL BUMP-DOWN	0
CSL-0075	75MPH/121KMH PEDAL ROAD SPEED LIMITER	0
M7U-0000	DISABLE	0
M7X-0000	WITHOUT 1ST RATIO FOR REDUCED HIGH	0
COZ-0000	NO IDLE S/D SLPR MODE OVERRIDE	0
466-7000	VMAC CRUISE CONTROL	0
908-0000	DISABLE IDLE SHUTDOWN	0
932-0075	75MPH - 121KPH	0
A21-0000	W/O LOWER GEAR RD SPD LMT MPH	0
B69-0000	DISABLE IDLE COOLDOWN	0
A1I-0700	700 RPM	0
A20-0000	OMIT LOWER GEAR ROAD SPEED LIMIT OPTION	0
933-0075	75 MPH	0
AL1-0000	W/O ENG BRK ENGAGE IN CRUISE	0
A02-0025	25 MPH VSC MIN FOR SETTING CRUISE CNTL	0
A10-0000	W/O LOW IDLE SPEED ADJUSTMENTS	0
A26-0002	MIN-MAX/AUTOMOTIVE GOVERNOR	0
A01-0010	10 MPH VSC SPEED LIMIT	0
A94-2100	2100 RPM	0
A03-0700	700 RPM MIN SETTING	0
A95-0000	OMIT EHT SINGLE SPEED CONTROL	0
A96-0000	W/O EHT SINGLE SPEED CRTL. RPM	0
A97-0100	100 RPM/SEC.	0
A79-0050	50 %	0
233-0000	W/O ENGINE SPEED CONTROL	0
AE5-0000	DISABLED EHT JUMP TO MIN. SPEED	0
A41-0000	W/O PTO MAX SPD ENG RPM	0
A98-0700	700 RPM	0
A05-0000	W/O RPM SINGLE SPEED SETTING	0
A1A-0005	5 MPH	0
A1Z-0000	OMIT	0
A2B-0250	250 RPM/SEC.	0
A1B-0000	0 RPM	0
A62-0000	W/O MAX VAR ENG SPEED LIMIT PTO#2 OPTION	0
A1D-0010	10 MPH	0
A61-0000	W/O SNGL SPEED PTO #2 SETTING	0

Date Printed: 1/27/2016

MACK TRUCKS, INC

PAGE 6

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
VEHICLE ELECTRONICS		
A08-0000	W/O ENG COOLANT LEVEL SHUTDOWN	0
A1E-0100	100 RPM/SEC.	0
A06-0001	FURN ENG COOLANT TEMP SHUTDOWN	0
A07-0001	FURN ENG OIL PRESSURE SHUTDOWN	0
A2Y-0000	DISABLED(W/O TRANS. TEMP. SHUTDOWN)	0
934-0060	60 MINUTES	0
A16-0005	5 MIN. WARM UP TIME DELAY	0
A17-0100	100 DEG WARM-UP TEMP DELAY	0
A13-0000	OMIT IDLE SHUTDOWN OVERRIDE WHEN PTO ENGAGED (PTO SWITCHWILL	0
A14-0000	W/O ELCON IDLE SHUTDOWN OVERRIDE - VSC ENGAGED	0
A23-0001	ENABLE IDLE SHUTDOWN REGARD- LESS OF ENGINE POWER LEVEL	0
A87-0070	70 MPH	0
A88-0075	75 MPH	0
A90-2200	2200 RPM	0
A1Y-0002	2 MINUTES	0
A86-0000	W/O FLEET MPG TARGET	0
A2W-0000	DISABLED (CRUISE CONTROL WILL DROP OUT AFTER A SHIFT-IT WILL	0
A3K-2100	2100 RPM -DATAMAX LOGS ACCUMU-LATED TIME ENGINE HAS EXCEEDED	0
M02-0030	30 SECONDS IDLE SHUTDOWN TIME -BETWEEN WARNING LIGHT/BUZZER	0
M03-0060	60 MPH	0
M04-0060	60 MPH	0
AF6-0000	DISABLE	0
AK1-0000	DISABLE	0
AK5-0000	NO INCENTIVE PROGRAM	0
AK6-0000	0 MPH	0
AK7-0000	W/O FLEET FUEL ECON.PENALTY	0
AK8-0000	0 MPH	0
AK9-0000	W/O MPG INCENTIVE SAMPLE DIS	0
C0K-0000	DISABLE SMART ENG.IDLE	0
CON-0001	ENABLED	0
COQ-0000	W/O	0
COR-0000	W/O OVERRIDE	0
COT-0010	10 MIN MAX TIME	0
COU-0000	W/O	0
COV-0000	W/O	0
COW-0001	DAY 1 OF THE MONTH	0
COX-0001	ENABLED	0
ASK-0000	DISABLED	0
C42-0001	DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES	0
A5L-0000	DISABLED	0
DTS-0001	SPEED SENSOR TAMPER DETECTION ACTIVATION,ENABLE	0
AZQ-0000	W/O HIGH IDLE SPEED- VMAC 4 UPPER GEARS	0
AD7-0000	W/O EHT ACCEL. BUMP UP RPM	0
AD8-0000	W/O EHT DECEL. BUMP DOWN RPM	0

Date Printed: 1/27/2016

MACK TRUCKS, INC

PAGE 7

INVOICE NBR: 0601877

SERIAL NBR: 011034

MODEL: GU433

DEALER: A406

OPTION CODE	SPECIFICATIONS	LIST PRICE
VEHICLE ELECTRONICS		
AJ1-0000	WITHOUT SOFT RSL CONTROL	0
A3E-0000	W/O AMBIENT TEMP MIN THRESHOLD	0
A3F-0000	W/O AMBIENT TEMP MAX THRESHOLD	0
A3I-0000	WITHOUT IDLE S/D OVERRIDE	0
A5R-0000	WITHOUT PTO2 DECEL BUMP-DOWN	0
A7I-0000	WITHOUT PTO2 ACCEL BUMP-UP	0
A7P-0000	WITHOUT PTO2 HOLD	0
A7S-0000	WITHOUT EHT HOLD	0
A7U-0000	DISABLE ENGINE HIGH IDLE SPEED IN UPPER GEARS	0
A7Y-0000	WITHOUT LAST RATIO FOR FULL HIGH IDLE	0
C54-0000	IDLE SHUTDOWN DISABLED	0
C56-0000	WITHOUT POWER DIVIDER LOCKOUT ROAD SPEED LIMIT	0
TRAILER CONNECTIONS		
517-0002	TRAILER AIR BRAKE CONNECTIONS, EOF	610
321-0002	SINGLE 7 PINS STANDARD SAE TYPE, EOF PAINT/VINYL STRIPING	229
2PB-HAX	1 TONE HOOD, 1 TONE DRIVER AREA, IF SLEEPER 1 TONE	0
950-3100	SALES CODE DESCRIPTION NOT ON FILE	0
924-0001	SOLID PAINT	0
953-0000	W/O OPTIONAL SPOKE WHEEL PAINT	0
952-0000	W/O OPTIONAL SPOKE WHEEL PAINT	0
951-2006	MACK BLACK 09000PP P3036 EFF. 6/21/96	0
909-0002	NO ADDITIONAL CHARGE (CHARTED)	0
996-0001	POLY THROUGH COAT	0
994-0007	RED	0
993-0010	BLACK	0
944-7576	MACK RED 75500PP P9189 PROD EFF 8/26/98	0
990-0001	CAB PAINT SINGLE TONE	0
922-0000	STANDARD COLOR	0
938-0000	NOT PAINTED	0
985-0000	NO CUSTOM PAINT	0
986-0000	NO CUSTOM PAINT	0
MISCELLANEOUS		
022-0000	NO PILOT REQUESTED	0